

TABLE OF CONTENTS

<i>List of Figures</i>		viii
<i>List of Tables</i>		xiii
<i>Preface</i>		xv
<i>Chapter 1</i>	<i>Introduction</i>	1
	John Fraser, Chair, Pacific Fisheries Resource Conservation Council	
Section I		
WORLD FISHERIES: PROBLEMS AND LESSONS LEARNED		5
<i>Chapter 2</i>	<i>State of world's fisheries</i>	7
	Reg Watson, Senior Research Fellow, Fisheries Centre, University of British Columbia	
<i>Chapter 3</i>	<i>Interactions among collapse, recovery and extinction risk in marine and anadromous fishes</i>	17
	Jeffrey Hutchings, Canada Research Chair in Marine Conservation and Biodiversity, Biology, Dalhousie University	
<i>Chapter 4</i>	<i>Dialogue following World Fisheries: Problems and Lessons Learned</i>	39
	The effects of the British Columbia krill fishery on the food chain	39
	Why fisheries do not respond to closures	40
	Comparing cod management with salmon management	40
	The value of genetic material	41
	Shifting baselines and harvest rates	41
	We need a different default hypothesis	41
	The perceived failure to link science and management in fisheries	41
	Generation time - comparing salmon with rockfish	42
	Predation as a factor affecting recovery rate	43
	Genetic implications for the Northern cod	43
Section II		
STATE OF SALMON STOCKS AND HABITAT		45
Atlantic Salmon:		
<i>Chapter 5</i>	<i>Wild Atlantic salmon in Europe: status and perspectives</i>	47
	Kjetil Hindar, Senior Research Scientist, Norwegian Institute for Nature Research	
<i>Chapter 6</i>	<i>Wild Atlantic salmon in North America: status and perspectives</i>	53
	Fred Whoriskey, Vice President Research and Environment, Atlantic Salmon Federation	
Pacific Salmon:		
<i>Chapter 7</i>	<i>State of Pacific salmon and their habitats: Canada and the United States</i>	63
	Brian Riddell, Scientific Advisor, Pacific Fisheries Resource Conservation Council	

<i>Chapter 8</i>	<i>Salmon stocks and habitat in the Russian Far East</i>	77
	Xanthippe Augerot, Director of Conservation Programs, Wild Salmon Center	
<i>Chapter 9</i>	<i>Salmonid status and conservation in Japan</i>	89
	Mitsuhiro Nagata, Research Scientist, Hokkaido Fish Hatchery, Department of Fisheries and Forestry, Hokkaido Government and Masahide Kaeriyama, Professor, Hokkaido Tokai University	
<i>Chapter 10</i>	<i>MSY, no net loss and the future of Fraser River sockeye</i>	99
	Ken Wilson, Scientific Advisor, Marine Committee, Sierra Club of British Columbia and Stock Management Coordinator, Fraser First Nations	
<i>Chapter 11</i>	<i>State of Canada's freshwater fishes</i>	111
	John Post, Chair, Division of Ecology, Biological Sciences, University of Calgary	
<i>Chapter 12</i>	<i>Dialogue following State of Salmon Stocks and Habitat</i>	121
	How to move the discussion forward and give clear direction to the politicians and managers?	121
	Getting the right message to the public	121
	What is the scale of overfishing in the Russian Far East and how much of it can be attributed to the change in political regime?	121
	Risk of extinction – timing of measurements	122
	The problem lies with management	122
	Can recent increases in pink salmon returns be attributed to increased ocean survival?	123
	Ocean Survival	124
	The relationship of the BC Treaty Negotiation process to salmon management	124
	Endangered status and Cultus Lake sockeye	124
	What about lake fertilization?	125
	Is there any hope and can it be turned around?	125
	Is the regional management approach part of the solution?	125
	Who is responsible for recovery planning?	126
	Day One Wrap-up Comments –John Fraser	126
Section III		
POTENTIAL THREATS TO WILD SALMON		129
<i>Chapter 13</i>	<i>A salmon-centric view of the twenty-first century in the western United States</i>	131
	Robert Lackey, Fisheries Biologist, National Health and Environmental Effects Research Laboratory, US Environmental Protection Agency	
<i>Chapter 14</i>	<i>Net-Pen salmon farming: Failing on two fronts (and why this is just the latest stage in humanity's terminal ravaging of the seas)</i>	139
	Bill Rees, Professor, School of Community and Regional Planning, University of British Columbia	
<i>Chapter 15</i>	<i>History and effects of hatchery salmon in the Pacific</i>	153
	Jennifer Nielsen, Fisheries Supervisor and Research Biologist, US Geological Survey, Alaska Science Centre	

<i>Chapter 16</i>	<i>What is limiting our ability to effectively manage salmon?</i>	169
	Carl Walters, Professor, Fisheries Centre, University of British Columbia	
<i>Chapter 17</i>	<i>Dialogue following Potential Threats to Wild Salmon</i>	175
	Are there incentives to change behaviour to be more salmon-friendly? ...	175
	Are there any recovery strategies underway already that address the four drivers?	175
	Are there lessons that can be learned from Japan?	175
	Everyone needs to come to the table to discuss the solutions	176
	We may have to have a trade-off	177
	What about restoration programs for urban salmon threats?	177
	Would aboriginal rights through Treaties influence policy decisions with respect to preservation and maintenance of wild salmon?	177
	We can do more with the resources we have	178
	Are there examples of decision-making processes in the US that are going in the right direction?	178
	Does limiting access work to preserve fisheries?	179
	We should also consider the spiritual dimension	179
	How to bring the public into the discussion	179
	A positive example of public influencing policy	179
	Attitudes may change rapidly	180
	Hatcheries as a reason for the decline of wild salmon	180
	Hatchery production in Russia	181
	What would happen if you factored the impacts of aquaculture and related diseases into the analysis?	181
	How much live food is consumed by wild salmon?	181
	Are we moving forward in a way that is sustainable?	181
	How do aquacultural and agricultural practices compare in terms of sustainability?	182
	Where do we go from here?	183
	What have we done right in salmon management?	184
	Stating clear management objectives and the need for audits	184
	Is the problem freshwater habitat?	185
	Are hatcheries the problem?	185
	If a large amount of money was available for research on the oceans, what would you spend it on?	185
	The relationship between habitat loss and marine survival	186
	Ocean productivity cycles and the need to protect freshwater habitat	186
	Overall effects of fishing on the northwest Atlantic ecosystem and competition-predator interactions	187
	How the different users regard the risk evaluation and the trade-offs	188
	The need for re-profiling the existing resources and for more resources	188
	An example of the importance of habitat restoration	188
	Habitat restoration effects for the ecosystem of the Squamish valley rivers	189
Section IV		
	SOLUTIONS FOR SALMON CONSERVATION	191
<i>Chapter 18</i>	<i>First Nations and wild salmon</i>	193
	Arnie Narcisse, Chair, BC Aboriginal Fisheries Commission	

<i>Chapter 19</i>	<i>Valuing wild salmon: the economic approach</i>	197
	Steve Farber, Director, Public and Urban Affairs, Graduate School of Public and International Affairs, University of Pittsburgh	
<i>Chapter 20</i>	<i>Perspective of the commercial salmon fishery</i>	205
	Greg Taylor, Ocean Fisheries Ltd.	
<i>Chapter 21</i>	<i>Valuing wild salmon: who gets to decide?</i>	215
	Jan Konigsberg, Director, Alaska Field Office, Trout Unlimited	
<i>Chapter 22</i>	<i>Wild salmon strategy</i>	223
	Terry Glavin, Marine conservation Advisor, Sierra Club of BC	
<i>Chapter 23</i>	<i>An overview of the precautionary approach in fisheries and some suggested extensions</i>	233
	Randall Peterman, School of Resource and Environmental Management, Simon Fraser University	
<i>Chapter 24</i>	<i>Application of the precautionary approach to the conservation of wild Atlantic salmon stocks</i>	241
	Malcolm Windsor and Peter Hutchinson, North Atlantic Salmon Conservation Organization	
<i>Chapter 25</i>	<i>Protected areas for native salmon: A strategy for protecting salmonid biodiversity across the northern Pacific Rim</i>	249
	Guido Rahr, President, Wild Salmon Center	
<i>Chapter 26</i>	<i>Incentives: the key to solving fisheries problems</i>	261
	Ray Hilborn, Professor, School of Aquatic and Fishery Sciences, University of Washington	
<i>Chapter 27</i>	<i>Dialogue following Solutions for Salmon Conservation</i>	267
	Linking theory with practice	267
	User perception of a resource might influence the net value through the gross value figure	267
	How can we incorporate non-measurable values into the decision-making process?	268
	Irrigation practices and protection of fish habitat	269
	You take only what you need	269
	How do you get the message out to the public?	270
	Predation	270
	Implementation error (Figure 23.2, Peterman, Chapter 23)	271
	The role of stewardship groups and public education	271
	It is a question of priorities	272
	Educating the senior managers	272
	The issue of accountability	273
	The need for leadership, strong reporting structure, and accountability at the highest level	273
	The most important right is the right to be responsible	274
	The importance of knowledge about the genetic structure of the species ...	275
	Putting a value on the culture of the First Nations people and the salmon ..	275

	Would a certification system create the right incentives to create long-term productive salmon stocks?	276
	The value of hatcheries in Alaska	276
	Cutbacks on the Skeena harvest rates	277
	Cutbacks on harvest for aboriginal fishers in the Yukon	277
	How do we harness incentives to effect change in fisheries such as groundfish?	277
	Nobody is in charge	278
	Marine protected areas strategy	278
	Watershed protection	278
	Should we be protecting more than upland spawning habitats?	279
	A thoughtful comment – Marion Sheldon	279
Section V		
POLICY AND LEGISLATIVE INITIATIVES		281
<i>Chapter 28</i>	<i>Endangered species listing process and status of Atlantic salmon in the US</i>	<i>283</i>
	Fred Kircheis, Executive Director (retired), Maine Atlantic Salmon Commission	
<i>Chapter 29</i>	<i>A strategy for recovery planning in the Pacific Northwest US</i>	<i>293</i>
	Donna Darm, Assistant Regional Administrator, Protected Resources, Northwest Fisheries Science Center, National Oceanic and Atmospheric Administration	
<i>Chapter 30</i>	<i>Strengths and weaknesses of the Engangered Species Act: Some insights from the Columbia Basin</i>	<i>299</i>
	Dave Marmorek, President, ESSA Technologies Ltd.	
<i>Chapter 31</i>	<i>The Species at Risk Act and recovery planning</i>	<i>311</i>
	Tamee Mawani, Don Lawseth and Carole Eros, Species at Risk Program, Fisheries and Oceans Canada	
<i>Chapter 32</i>	<i>Language, logic and legislation: The recent Irish experience of Atlantic salmon management</i>	<i>317</i>
	Noel Wilkins, Professor, Zoology, National University of Ireland	
<i>Chapter 33</i>	<i>Development of the Canadian Wild Salmon Policy</i>	<i>323</i>
	Mark Saunders, Coordinator, Wild Salmon Policy, Fisheries and Oceans Canada	
<i>Chapter 34</i>	<i>Dialogue following Policy and Legislative Initiatives</i>	<i>325</i>
	International considerations of the endangered species status	325
	Is habitat restoration required under the Act as well as habitat protection? .	326
	Positive aspects of SARA	326
	Is there a recovery team currently in place for <i>Bocaccio</i> ?	326
	Recovery plan efforts underway in BC	327
	The Wild Salmon Policy process	327
	A follow up meeting of policy makers	328
	Wrap-up comments – John Pierce	328

Appendices:		
Appendix I.	Presenter biographies	331
Appendix II	List of participants	337
Appendix III	Letter to the Minister of Fisheries and Oceans Canada	345

List of Figures

Chapter 2

Figure 2.1.	Major statistical reporting areas used by FAO for fisheries landings data since 1950.	10
Figure 2.2.	Global fisheries landings reported by FAO.	11
Figure 2.3.	Map showing the change in length of animals taken commercial landings since the 1950s.	13
Figure 2.4.	Graph showing the change in length of animals in commercial landings in the North Atlantic and in global coastal areas.	13
Figure 2.5.	Graph showing the reduction in trophic level of commercial landings in the North Atlantic and in the global coastal areas.	14

Chapter 3

Figure 3.1.	Northwest Atlantic Fishing Organization (NAFO) divisions.	17
Figure 3.2.	Estimated catches of Northern Cod (1508-2001)	18
Figure 3.3.	Spawner biomass of Newfoundland's Northern Cod, 1962-1992.	18
Figure 3.4.	Trends in spawning stock biomass of northern cod from 1962 to 1992 with projections of the impacts of the 2-year moratorium on spawning biomass in 1993 and 1994.	19
Figure 3.5.	Spawner biomass of Newfoundland's northern cod 1962-2000.	19
Figure 3.6.	Median historic (N_{min}/N_{max}) decline= 83% (n= 232 marine fish populations). ...	20
Figure 3.7.	Maximum population decline for different species.	20
Figure 3.8.	Full recovery: no recovery for 90 stocks.	21
Figure 3.9.	Recovery after 15 years in clupeids and demersal fishes.	22
Figure 3.10.	Percentage decline after 15 years for marine fish populations for which fishing mortality declined post-collapse.	22
Figure 3.11.	Percentage decline in spawner abundance for Pacific salmon over three generations.	23
Figure 3.12a.	Population recovery for sockeye salmon.	24
Figure 3.12b.	Population recovery for pink salmon.	24
Figure 3.13.	Population recovery after 5 years as a function of exploitation rate.	25
Figure 3.14a.	Population recovery 5 years after collapse as a function of the average fishing mortality.	26
Figure 3.14b.	Population recovery 10 years after collapse as a function of the average fishing mortality.	26
Figure 3.15a.	Adult fish, juvenile fish, and trophic relationship between forage fish.	28
Figure 3.15b.	Examples of Atlantic Cod in trophic triangle model.	28
Figure 3.16.	Cod stock and recruitment and pelagic fish biomass in the southern Gulf of St. Lawrence.	28
Figure 3.17.	The doors of bottom trawls can significantly alter the physical structure of the bottom.	29
Figure 3.18a.	Spotted wolffish <i>Anarhicas minor</i>	30
Figure 3.18b.	Spotted wolffish survey catch rates from 1978-1999.	30

Figure 3.19.	Reductions in Atlantic cod spawner biomass at time of commercial fishing closure in 1992 – 1993.	31
Figure 3.20.	Abundance of Northern cod (millions of mature individuals from 1950-2002)..	32
Figure 3.21.	Abundance of Southern Grand Bank cod, 1957-2002.	32
Figure 3.22a.	Abundance patterns for Canadian cod stocks (1950-2000).	33
Figure 3.22b.	Abundance patterns for Canadian cod stocks (1950-2000).	33
Figure 3.23.	Northern cod decline in the last three generations.	35
Figure 3.24.	Spring/Summer distribution of cod.	36
Figure 3.25a.	Autumn migration of cod.	36
Figure 3.25b.	Autumn/Winter distribution of cod.	36
Figure 3.26.	Estimated catches to Northern cod from 1508 to 1991.	37
 <i>Chapter 5</i>		
Figure 5.1.	Status of wild Atlantic salmon populations worldwide. Country averages based on classification of 2005 rivers by WWF (2001).	48
 <i>Chapter 6</i>		
Figure 6.1.	Trends in abundance for wild Atlantic salmon from all rivers in North America at their feeding grounds off the coast of Greenland, prior to returning home for spawning. Data from ICES 2003.	54
Figure 6.2.	Numbers of wild and farmed fish caught annually entering the Magaguadavic River, New Brunswick, since 1992.	55
 <i>Chapter 7</i>		
Figure 7.1.	Geographic distribution of Pacific salmonids included in this paper.	64
Figure 7.2.	Summary of risk categories for Pacific salmonid populations that could be assessed within each geographic area.	66
Figure 7.3.	Summary of risk categories for Pacific salmonid populations that could be assessed by species over the geographic range included in Figure 2.	66
Figure 7.4.	Total catch of Pacific salmon (metric tonnes) by the BC commercial fishery from 1900 through 2002.	67
Figure 7.5.	Demonstration histogram of linear coefficients for sockeye spawning escapements (1950-2002) for all spawning streams in north and central British Columbia.	71
 <i>Chapter 8</i>		
Figure 8.1.	Native distribution of <i>Onchorhynchus spp.</i>	78
Figure 8.2.	Pacific salmon bioregions – level 4 classification.	79
Figure 8.3.	Patterns of extinction risk, North Pacific.	80
Figure 8.4.	Overall extinction risks by species.	80
Figure 8.5.	Risk of extinction for pink salmon.	81
Figure 8.6.	Risk of extinction for chum salmon.	81
Figure 8.7.	Risk of extinction of sockeye.	82
Figure 8.8.	Risk of extinction for masu.	83
Figure 8.9.	Risk of extinction for coho salmon.	83
Figure 8.10.	Risk of extinction for chinook salmon.	84
Figure 8.11.	Risk of extinction for steelhead salmon.	84
Figure 8.12.	Forest road failure in the Rhor River region.	86
Figure 8.13.	Gas field on Kamchatka Peninsula.	86

<i>Chapter 9</i>		
Figure 9.1.	Historical catch and stocked juveniles in Hokkaido chum salmon (1870-2000).	89
Figure 9.2.	Catch and stocked juveniles in Japanese chum salmon.	90
Figure 9.3.	Brood year (1950-1965).	90
Figure 9.4.	Annual changes in return rate in chum and relationship between return rate and size of stocked chum.	91
Figure 9.5.	Historical catch and stocked juveniles in Hokkaido pink salmon.	91
Figure 9.6.	Total catch of Pacific salmon in the North Pacific Ocean.	92
Figure 9.7.	Changes in the Aleutian low pressure index (ALPI and carrying capacity (K) of three species (sockeye, chum, pink salmon) in the North Pacific Ocean.	92
Figure 9.8.	Population density-dependent effects.	93
Figure 9.9.	Different forms of masu salmon.	93
Figure 9.10.	Life cycle of masu salmon.	93
Figure 9.11.	Historical catch and stocked juveniles in Hokkaido masu salmon.	94
Figure 9.12.	Natural spawning areas for masu salmon.	94
Figure 9.13.	Escapement pattern of chum salmon populations by area in 2000.	95
Figure 9.14.	Long-term change in escapement patterns of Hokkaido chum salmon populations.	95
Figure 9.15.	Genetic variability in wild domesticated masu based on electrophoretic analysis using 11 loci.	96
Figure 9.16.	Examples of the effects of the stream restoration program.	97
<i>Chapter 10</i>		
Figure 10.1.	The location of Cultus Lake in the Lower Fraser Valley, BC.	101
Figure 10.2.	Cultus Lake sockeye escapement.	102
Figure 10.3.	The spawning escapement of Cultus Lake sockeye by cycle year.	102
Figure 10.4.	Sockeye spawning escapement to Cultus Lake, 1988-2002.	102
Figure 10.5.	Total run, escapement and exploitation rate of Cultus Lake sockeye, 1953-2001.	103
Figure 10.6.	The locations of major late run sockeye stocks within the Fraser River watershed.	103
Figure 10.7.	The major approach routes for returning Fraser River Sockeye.	103
Figure 10.8.	Timing of the spawning migration of Cultus sockeye showing the shift to earlier migration timing in recent years.	104
Figure 10.9.	Estimates of pre-spawn mortality of late run sockeye associated with earlier river entry (Weaver Creek).	104
Figure 10.10.	Probability of extinction of Cultus sockeye after three generations with varying exploitation rates and levels of pre-spawn mortality.	104
Figure 10.11.	The location of Sakinaw Lake on the Sechelt Peninsula, BC.	105
Figure 10.12.	Sockeye spawning escapement to Sakinaw Lake BC.	105
Figure 10.13.	Sockeye spawning escapement into Sakinaw lake BC, 1988-2002.	106
Figure 10.14.	Migration route of Sakinaw sockeye.	106
Figure 10.15.	Migration timing of Sakinaw sockeye.	107
Figure 10.16.	Migration timing of major Fraser sockeye stocks showing overlap with COSEWIC listed stocks (upper Fraser coho, and Cultus sockeye).	107
<i>Chapter 11</i>		
Figure 11.1.	Numbers of anglers and fishing success at Puntzi and Carp Lakes in British Columbia.	112

Figure 11.2.	Changes in numbers of anglers and quality of fishery, Wolf Lake, AB (1980-1994).	112
Figure 11.3.	Catch 100 years ago at one family's fish lodge at a northern Saskatchewan lake.	113
Figure 11.4.	Travel time, effort and fishing quality for rainbow trout in south interior BC. ..	114
Figure 11.5.	Walleye fishery catch rates and access for 24 different lakes in Alberta.	114
Figure 11.6.	Depensatory process.	115
Figure 11.7.	Evidence of depensatory mortality in lake trout populations in Northwestern Ontario.	116
Figure 11.8.	Effects of non-compliance with regulations on catch rates for a recreational walleye fishery.	116
Figure 11.9.	Food web alterations through exploitations of producers.	117
Figure 11.10.	Food web impacts. Population fecundity and shiners per egg as a function of walleye abundance index.	117
Figure 11.11.	Logistic population growth with depensation and compensation.	118
 <i>Chapter 14</i>		
Figure 14.1.	Energy inputs to BC salmon and protein Energy Return on Investment (EROI) for BC Salmon.	148
Figure 14.2.	Ecological footprints (EF) of farmed and harvested (captured) salmon.	149
 <i>Chapter 15</i>		
Figure 15.1.	Aquaculture of fishes by humans.	154
Figure 15.2.	Total Pacific Rim hatchery production.	155
Figure 15.3.	Pacific Decadal Oscillation (PDO) and species abundance shift.	160
Figure 15.4.	Oceanographic regime shifts impact marine populations.	160
Figure 15.5.	Overlap of Asian pink & Bristol Bay sockeye salmon: location and diet.	161
Figure 15.6.	Sockeye growth reduced during odd years at sea (2 nd & 3 rd yrs).	161
 <i>Chapter 16</i>		
Figure 16.1.	Declining marine survival rates in BC coho hatchery salmon from 1973–1993.	170
Figure 16.2.	Locations of Maria Morlin's study on 16 southern BC watersheds.	172
Figure 16.3.	Correlation between habitat changes and coho escapement or fry density in the Morlin study.	172
Figure 16.4.	Georgia Strait coho releases from 8 hatcheries (1979 – 2000).	173
Figure 16.5.	Effect of increasing coastwide exploitation rate of BC coho stocks.	173
 <i>Chapter 19</i>		
Figure 19.1.	User value.	199
Figure 19.2.	Commodity value of salmon.	199
Figure 19.3.	BC chinook salmon.	200
Figure 19.4.	Commodity valuation and policy.	201
 <i>Chapter 20</i>		
Figure 20.1.	Map of Skeena River and Babine Lake.	205
Figure 20.2.	Commercial harvest rates from 1960-2000.	207
Figure 20.3.	Escapement of Lake Babine Sockeye: 1950-2002.	207
Figure 20.4.	Escapement of non-Babine sockeye 1950-2002.	208
Figure 20.5.	Relationship between Nanika/Morice escapements and average weekly harvest rates for weeks 7-1 to 7-3.	209

Figure 20.6.	Relative size of escapements of Babine (largely enhanced) and non-Babine (unenhanced) sockeye.	209
Figure 20.7.	Percent reduction in average gillnetter's income from Skeena River sockeye for the years 1988-2002 if weak management had been in place.	212
 <i>Chapter 21</i>		
Figure 21.1.	Locations of Hatcheries in Southeast Alaska.	219
Figure 21.2.	Locations of Hatcheries in Prince William Sound, Interior and Southcentral Alaska.	219
Figure 21.3	Coho genetic code and Coho bar code.	222
 <i>Chapter 23</i>		
Figure 23.1	Schematic illustration of how applying a precautionary <i>principle</i> differs from applying a precautionary <i>approach</i> , in terms of the degree of restriction on human activities.	234
Figure 23.2.	Example of implementation error for Kvichak River sockeye salmon, Alaska..	238
 <i>Chapter 24</i>		
Figure 24.1.	Elements of the NASCO Precautionary Approach Action Plan.	243
 <i>Chapter 25</i>		
Figure 25.1.	Distribution of salmon hatcheries in the Pacific Rim.	250
Figure 25.2.	Oil and gas reserves (known or suspected) in the Sea of Okhotsk in 1998.	251
Figure 25.3.	Distributions of human population across the Pacific Rim.	251
Figure 25.4	Distribution of salmon throughout the Pacific Rim.	253
Figure 25.5.	Pacific salmon ecoregions	254
Figure 25.6.	Riparian buffer zone.	256
Figure 25.7.	Areas targeted for protection in Kamchaka.	259
Figure 25.8.	Kohl River basin.	259
Figure 25.9.	Land Ownership in the Hoh Basin.	260
Figure 25.10.	The Completed Vision for the Hoh Basin.	260
 <i>Chapter 26</i>		
Figure 26.1.	Total catch of lobsters in Tasmania by statistical area, over a 5-year period. ..	262
Figure 26.2.	Catch per unit effort (CPUE) for lobsters in Tasmania by statistical area.	262
Figure 26.3.	Bristol Bay.	264
Figure 26.4.	Trend in catch of Bristol Bay sockeye since 1893.	264
Figure 26.5.	Trend in escapement of Bristol Bay sockeye since 1955.	264
 <i>Chapter 28</i>		
Figure 28.1.	US range of Atlantic salmon.	283
Figure 28.2.	Maine Atlantic salmon rivers.	284
Figure 28.3.	Penobscot River returns to the Veazie trap, 1967-2002.	285
Figure 28.4.	Returns of adult Atlantic salmon to Maine rivers equipped with counting facilities, 1996-2002.	285
Figure 28.5.	Historical catch and quota of Atlantic salmon in the west Greenland fishery from 1977-2001.	287
Figure 28.6	Significant dam removals in the state of Maine.	288
 <i>Chapter 29</i>		
Figure 29.1.	Scale recovery domains.	295

<i>Chapter 30</i>		
Figure 30.1.	The Federal Columbia River Power System and monitored ‘index populations’ of spring/summer chinook, in both the Snake River basin and lower Columbia River.	300
Figure 30.2.	The Columbia Basin.	301
Figure 30.3.	Upper graph: Common year effects (common changes in recruits per spawner) for 7 Snake River and 6 lower Columbia River spring/summer chinook index stocks. Lower graph: Incremental mortality of Snake River stocks over lower Columbia River stocks (measured in terms of differences in recruits per spawner).	304
Figure 30.4.	Results of independent weighting of alternative hypotheses by four Scientific Review Panel members on the probability of recovery of Snake River spring/summer chinook, compared to the unweighted case (all hypotheses equally probable).	306
Figure 30.5.	Time series of spawner abundance of Okanagan sockeye, and migratory route.	307
Figure 30.6	Abundance of Okanagan sockeye (Wells Dam counts) from 1970-2002.	307

List of Tables

<i>Chapter 3</i>		
Table 3.1.	National and international ‘listing’ organizations that assess extinction risk.	30
Table 3.2.	Three generation rates of decline for each population and the status assigned by COSEWIC on May 2, 2003.	33
<i>Chapter 7</i>		
Table 7.1.	Approximate number of populations of the seven anadromous salmonids in the study area and other regions of North America.	65
<i>Chapter 8</i>		
Table 8.1.	Zone classification criteria for salmon ecoregions.	78
Table 8.2.	Across species estimates.	85
<i>Chapter 20</i>		
Table 20.1.	Commercial salmon harvest rates.	207
<i>Chapter 21</i>		
Table 21.1.	Principles of salmon management and associated problems.	217
Table 21.2.	Percentage hatchery salmon of 2000 catch.	218
<i>Chapter 25</i>		
Table 25.1.	Aquatic Diversity Management Area (ADMA) criteria.	256
Table 25.2.	Salmon protected area designations.	257
<i>Chapter 32</i>		
Table 32.1.	The interrelationship of language, logic, legislation and management for the perspectives of <i>conservation</i> and <i>sustainability</i>	319

