

Index

Symbols

- 1-form, 10
- 4-acceleration, 184
- 4-force, 115
- 4-momentum, 116
 - total, 122
- 4-velocity, 114

A

- acceleration
 - 4-acceleration, 184
 - Newtonian, 74
- action function or functional
 - (see also Lagrangian), 594, 598
- ADM action, 606
- affine parameter, 77, 79
- alternating operation, antisymmetrization, 27
- angle field, 44
- anisotropic fluid, 218–220, 276
 - collapse, 424–431
- anti-de Sitter space-time, 195, 644, 663–664
- anti-self-dual, 671
- antisymmetric oriented tensor, 49
- antisymmetric tensor, 28
- antisymmetrization, 27
- arc length parameter, 81
- arc separation function, 85
- arc separation parameter, 77
- Arnowitt-Deser-Misner action integral, 606
- atlas, 3
 - complete, 3
 - maximal, 3

B

- Betti number, 589
- Bianchi type-I models, 448
- Bianchi's differential identities, 60
 - complex valued, 532–533
 - consequences of in Newman-Penrose formalism, 549–551
 - first contracted, 63
 - second contracted, 63
- bicharacteristic curves, 620
- big crunch, 441
- big-bang cosmological model, 438, 449
- Birkhoff's theorem, 271
- bivector space, 486
- black hole, 364–433
- Bondi-Metzner-Sachs group, 240
- boost, 110
- Born-Infeld (or tachyonic) scalar field, 467–471
- Boyer-Lindquist coordinate chart, 334, 399
- Brinkman-Robinson-Trautman metric, 514
- Buchdahl inequality, 262
- bugle, 69

C

- canonical energy-momentum-stress tensor, 119
- canonical or normal forms, 510
- Cartesian chart, 44, 68
- Casimir effect, 638
- Cauchy horizon, 403, 416
- Cauchy problem, 207
- Cauchy-Kowalewski theorem, 207
- causal cone, 108
- causal space-time, 663

- causality violation, 663
- characteristic hypersurface, 623
- characteristic matrix, 625
- characteristic ordinary differential equations, 612
- characteristic polynomial equation, 177
- characteristic surface, 619
- charge-current, 125
- charged dust, 125, 134, 226, 317
- chart, 1
- Christoffel symbol, 57
 - first kind, 57
 - second kind, 57
- closed form, 33
- Codazzi-Mainardi equations, 100
- commutator or Lie bracket, 40
- comoving coordinate chart, 198
- complete atlas, 3
- complex conjugate coordinates, 621
- complex electromagnetic potential, 356
- complex gravo-electromagnetic potential, 356
- complex null tetrad field, 485
- complex potential, 331–332, 348
- components
 - coordinate, 21
 - covariant, 11
 - orthonormal, 47
 - physical, 120
- conformal group, 640
- conformal mapping, 70
- conformal tensor, 71
- conformally flat domain, 71
- conformally flat space-time, 149, 639–646
- conformastat metric, 309
- conformastationary metric, 358
- conjugate holomorphic function, 622
- conjugate points, 81
- conjugate, contravariant, or inverse metric tensor, 44
- constant curvature, space, 68, 73
- continuity equation, 122, 126, 186, 232
- continuum mechanics, 117
- contraction operation, 21
- contravariant index, 51
- contravariant order, 18
- coordinate chart or system
 - Boyer-Lindquist, 334, 399
 - Cartesian, 44, 68
 - comoving, 198
 - Doran, 415
 - doubly-null, 130
 - Eddington-Finkelstein, 371, 383
 - Gaussian normal, 67, 202
 - geodesic normal, 67, 102, 202
 - Kerr-Schild, 414
 - Kruskal-Szekeres, 379–380
 - local, 1
 - local Minkowskian, 153
 - Minkowskian, 105
 - normal or hypersurface orthogonal, 67
 - orthogonal, 61
 - Painlevé-Gullstrand, 370
 - pseudo-Cartesian, 45, 68
 - Regge-Wheeler tortoise, 371
 - Riemann normal, 67
 - Synge's doubly-null, 372
 - Weyl's, 289
 - Weyl-Lewis-Papapetrou (WLP), 330
- coordinate components, 21
- coordinate conditions, 165
- cosmological constant, 163, 233, 435
- cosmological principle, 434
- cotangent vector field, 9
- cotangent vector space, 9
- Cotton-Schouten-York tensor, 309
- covariant, 52
- covariant components, 11
- covariant derivative, 51
 - of relative and oriented relative tensor fields, 63
- covariant index, 51
- covariant order, 18
- covariant vector field, 9
- critical energy density, 448
- critical point, 593
- curvature invariant, 63
- curvature scalar, 63

- curvature tensor, 55
- curve
 - integral, 35
 - non-null, 81
 - null, 112
 - parameterized, 11
 - profile, 92
 - spacelike, 111
 - timelike, 112
- curved domain, 64
- Curzon-Chazy metric, 299
- cusp, 16
- D**
- dark energy, 461
- de Sitter space-time, 431, 450, 644
- deceleration function, 448
- deceleration parameter, 448
- deDonder gauge, 649
- deformable solid, 220–222, 276
- degree (system of p.d.e.s), 611
- delta
 - Kronecker, 8
- derivative
 - covariant, 51, 63
 - covariant directional, 52
 - directional, 7, 52
 - exterior, 31
 - Fermi, 147
 - gauge covariant, 561
 - Lie, 35–38
 - variational, 595, 599
- derivative mapping, 22
- determinate system, 166
- differentiable manifold, 3
- differential conservation of energy- momentum, 120
- differential form, 31
- directional derivative, 7
- domain
 - curved, 64
 - flat, 64
- dominant energy condition, 181
- Doran coordinate chart, 415
- dot product or inner-product, 42
- double Hodge-dual, 84
- doubly-null coordinates, 130
- dual vector space, 9
- dubiosity, 82
- dust, 122, 125, 134, 185, 186, 216, 226, 317, 435, 437, 438, 441, 448, 452, 470
 - collapse, 383–386
- E**
- eccentricity, 245
- Eddington-Finkelstein coordinates, 371, 383
- Eguchi-Hansen gravitational instantons, 671
- Einstein space, 69
- Einstein static universe, 434
- Einstein summation convention, 7
- Einstein tensor, 63
- Einstein's field equations, 164
 - complex-valued form, 532
- Einstein-Hilbert Lagrangian density, 168
- Einstein-Maxwell equations, 224, 263
- Einstein-Maxwell-Klein-Gordon equations, 560
 - orthonormal form, 565
- Einstein-Rosen bridge, 655
- electrical charge density, 125
- electro-vac universe, 263
- electromagnetic duality-rotation, 233
- electromagnetic field tensor, 33, 50
- electromagnetic four-potential, 34, 225, 233, 504, 561
- electromagneto-vac domain, 224
- electrostatic potential, 319
- elementary divisors, 632
- elliptic p.d.e., 618
- embedded manifold, 94
- Emden equation, 575
- energy conditions, 180
- energy-momentum-stress tensor, 119
- equation of state, 216
- equilibrium of a deformable body, 221
- equivalence principle, 139
- ergosphere, 402
- Ernst equation, 333

- eternal black holes, 418
- eternal white holes, 418
- Euler equations for a perfect fluid, 232
- Euler-Lagrange equations, 78, 159, 596
 - classical mechanics, 596
 - for particle in curved space-time, 157
 - for particle in Schwarzschild space-time, 242, 243
 - for scalar field, 599
- event horizon, 367
- exact form, 33
- expansion scalar, 184
- expansion tensor, 184
- extended extrinsic curvature, 604
- extended real numbers, 409
- exterior derivative, 31
- exterior product, 28
- extrinsic curvature tensor, 89–104, 167
 - extended, 604
- F**
- F-L-R-W metrics (or Friedmann-Lemaître-Robertson-Walker), 436–471
- F-W transport, 147
- Fermi derivative, 147
- Fermi-Walker transport, 147
- fifth force, 643
- fine-structure constant (electrodynamic), 583
- fine-structure parameter (eigenvalue of charged scalar-wave gravitational condensate), 583
- Finsler metric, 157
- first contracted Bianchi's identities, 63
- first curvature, 147
- first fundamental form, 91
- Flamm's paraboloid, 241
- flat domain, 64
- flat manifold, 67
- Fock-deDonder gauge, 649
- form
 - 1-form, 10
 - closed, 33
 - differential, 31
 - exact, 33
- Frenet-Serret formulas, 83
 - generalized, 82
- frequency of a wave, 504
- Friedmann-Lemaître-Robertson-Walker metrics (or F-L-R-W), 436–471
- G**
- Gödel universe, 664–665
- gauge covariant derivatives, 561
- gauge transformation, 34
- Gauss' equations, 100
- Gauss' theorem, generalized, 65
- Gauss-Bonnet term, 608
- Gaussian curvature, 91
- Gaussian normal coordinate chart, 67, 202
- general covariance, 131
- general relativity, 168
- generalized D'Alembertian, 222
- generalized Frenet-Serret formulas, 82
- generalized Kronecker tensor, 29
- generalized wave operator, 222
- geodesic, 76
 - non-null, 77
 - null, 77
- geodesic deviation equations, 80
- geodesic equations, 77
 - for dust, 186
 - for particle in T -domain, 369
 - for particle in Schwarzschild space-time, 242
 - for the Euclidean plane \mathbb{E}_2 , 78
- geodesic normal coordinate chart, 67, 102, 202
- geodesically complete manifold, 170
- geometrized units, 164
- geons, 591
- Global Positioning System (G.P.S.), 336
- gravitational constant, G , 66, 162
- gravitational field equations, 163

- gravitational instantons, 351, 667–671
- gravitational mass, 138
- gravitational redshift, 250
- gravitational wave astronomy, 647
- gravitational waves, 167, 647–653
- gravitons, 649
- gravo-electromagnetic potential, 356
- group
 - Bondi-Metzner-Sachs, 240
 - conformal, 640
 - Lie, 45
 - Lorentz, 45, 109
 - Möbius, 356
 - Poincaré, 109
 - symplectic, 173
- group of motion, 73
- H**
- H-K-S-D metric (or Hawking-Kloster-Som-Das), 670
- Hamilton-Jacobi equation, 615
- Hamiltonian
 - for particle in a static gravitational potential, 326
 - for particle in an electromagnetic field, 160
 - relativistic, 158
 - relativistic equations of motion, 160
 - relativistic mechanics, 158
 - super, 158
- harmonic coordinate conditions, 174
- harmonic function, 307, 622
- harmonic gauge, 174, 649
- Hausdorff manifold, 1
- Hawking-Kloster-Som-Das metric (or H-K-S-D), 670
- heat flow vector, 232
- Heaviside-Lorentz units, 123
- Hessian, 616
- Higgs fields, 471
- Hilbert-Palatini approach for deriving field equations, 601
- Hodge star operation, 50
- Hodge-dual operation, 496
- holomorphic function, 622
- holonomic constraint, 158
- homeomorphism, 1
- homogeneity, 442
- homogeneous p.d.e., 611
- homogeneous state of the complex wave function, 570
- Hopf's theorem, 307
- Hubble function, 448
- Hubble parameter, 448
- hybrid tensor field, 96–98
- hyperbolic p.d.e., 618
- hypersurface, 367
 - null, 131
- hypersurface orthogonal coordinate, 67
- I**
- I-S-L-D jump conditions, 167
- identity tensor, 46
- immersion, 94
- incoherent dust, 185
- index
 - contravariant, 51
 - covariant, 51
- index lowering, 48
- index raising, 48
- inertial mass, 138
- inertial observer, 113
- inflationary era, 446
- initial value problem, 207
- inner-product or dot product, 42
- instanton, 351, 667–671
- instanton-horizon, 668
- integrability conditions, 99
- integral conservation, 120
- integral curve, 35
- intrinsic curvature
 - extended, 604
- intrinsic metric, 90
- invariant eigenvalue problem, 91
- invariant eigenvalues, 177
- irrotational motions, 184
- isomorphism, 501
 - on tensor space, 48
- isotropic sectional curvature, 441

- isotropy, 441
- isotropy equation of static spherical symmetry, 260
- J**
- Jacobian, 3
- Jacobian mapping, 22
- Jordan decomposition theorem, 630
- junction conditions
 - I-S-L-D, 167
 - Synge's, 166
- K**
- Kaluza-Klein theory, 472, 479
- Kasner metric, 212, 306, 310, 323
- Kerr metric, 334–339, 399–417
 - higher dimensional generalization, 343
- Kerr-Newman solution, 337, 415
- Kerr-Schild coordinate chart, 414
- Killing tensor, 414
- Killing vector, 72
- Klein-Gordon field
 - (see also scalar field, massive), 560–591
- Kottler solution, 252
- Kretschmann invariant, 86, 400
- Kronecker delta, 8
- Kronecker tensor, generalized, 29
- Kruskal-Szekeres coordinates, 379–380
- Kruskal-Szekeres metrics, 379–380
- L**
- Lagrange multiplier, 159
- Lagrange's solution method, 612
- Lagrangian, 594
 - alternative Lagrangians, 161
 - augmented gravitational, 603
 - classical mechanics, 596
 - Einstein-Hilbert, 601
 - Einstein-Maxwell, 225
 - Einstein-Maxwell-Klein-Gordon, 564
 - first-order gravitational, 605
 - for particle in T domain, 369
 - for particle in curved space-time, 156, 161
 - for particle in electromagnetic field, 160
 - for particle in Schwarzschild space-time, 242, 243
 - for scalar field, 599
 - for static field equations, 303
 - for stationary field equations, 353, 354
 - for tachyonic scalar field, 468
 - relation to super-Hamiltonian, 159
 - square-root particle, 468
- Lagrangian density, 168
 - augmented gravitational, 603
 - Einstein-Hilbert, 168, 601
 - Einstein-Maxwell, 360
 - most general curvature yielding second-order equations, 608
- Lambert W-Function, 374, 375
- Lane-Emden equation, 575
- Laplacian operator, 84
- Legendre transformation, 158
- Lemaître metric, 280
- lemma of Poincaré, 32
- length or norm, 43
- Levi-Civita permutation symbol, 30
- Levi-Civita tensor, 49
- Lichnerowicz-Synge lemma, 208
- Lie bracket or commutator, 40
- Lie derivative, 35–38
- Lie group, 45
- light cone, 108
- linear equation, 611
- linear p.d.e., 611
- linearized theory of gravitation, 647–653
- Liouville equation, 621
- Lipschitz condition, 35
- local coordinate system, 1
- local Minkowskian coordinates, 153
- London equation, 571
- Lorentz gauge condition, 174, 222, 649
- Lorentz group, 45, 109
- Lorentz matrix, 133
- Lorentz metric, 45, 64
- Lorentz signature, 43

- Lorentz transformation, 45, 109
 - orthochronous, 192
- Lorentz-Heaviside units, 123
- M**
- magnetic potential, 315
- manifold
 - constant curvature, 68, 73
 - differentiable, 3
 - Einstein, 69
 - embedded, 94
 - flat, 67
 - geodesically complete, 170
 - Hausdorff, 1
 - orientable, 3
 - paracompact, 1
 - pseudo-Riemannian, 64
 - Ricci flat, 70, 164
 - Riemannian, 64
 - Riemannian or pseudo-Riemannian,
 - 56, 64
 - topological, 3
- Maple(TM), 672
- mass
 - gravitational, 138
 - inertial, 138
- mass density, 118
- mass-shell, 117
- Mathematica(TM), 672
- matrix
 - characteristic, 625
 - Lorentz, 133
 - nilpotent, 629
 - rank of, 18
 - unit, 8
- matter-dominated era, 445
- maximal atlas, 3
- maximum-minimum principle, 307
- Maxwell's equations, 34, 123
- Maxwell-Lorentz equations, 124
- mean curvature, 91
- Meissner effect, 571
- metric
 - anti-de Sitter, 195, 644, 664
 - Bianchi type-I, 448
 - Brinkman-Robinson-Trautman, 514
 - components, 44
 - conformastat, 309
 - conformastationary, 358
 - conjugate, contravariant, or inverse, 44
 - Curzon-Chazy, 299
 - de Sitter, 431, 450, 644
 - Einstein static universe, 434
 - Finsler, 157
 - Friedmann-Lemaître-Robertson-Walker (or F-L-R-W), 436–471
 - Gödel, 664
 - Hawking-Kloster-Som-Das (or H-K-S-D), 670
 - Kasner, 212, 306, 310, 323
 - Kerr, 334–339, 399–417
 - higher dimensional generalization, 343
 - Kerr-Newman, 337, 415
 - Kottler, 252
 - Kruskal-Szekeres, 379–380
 - Lemaître, 280
 - Lorentz, 45, 64
 - positive definite, 43, 64
 - pseudo-Schwarzschild, 311
 - Reissner-Nordström-Jeffery, 265, 394
 - Robinson-Trautman, 549
 - Schwarzschild, 239–251, 311, 350, 364–382
 - higher dimensional generalization, 253
 - Schwarzschild's interior, 263
 - signature, 43
 - Taub-NUT, 671
 - tensor, 42
 - Tolman-Bondi-Lemaître, 276
 - Vaidya, 284
 - Van Stockum, 665
 - warp-drive, 660
 - Weyl-Majumdar-Papapetrou-Das (or W-M-P-D), 319
 - wormhole, 656
- metric equations, 321
- metric tensor, 42

- Minkowskian chart, 105
 Minkowskian chronometry, 113
 Monge surface, 102
 monogenic forces, 156
 most general solution, 609
 multilinearity conditions, 18
 Möbius group, 356
- N**
- Newman-Penrose equations, 538, 545–547
 Newtonian acceleration, 74
 Newtonian approximation, 245
 Newtonian gravitational constant, G , 66, 162
 Newtonian gravitational potential, 66, 138, 142, 162, 169, 203, 280, 291–294, 299, 304, 319
 Newtonian mass, 66
 nilpotent matrix, 629
 nilpotent operator, 33
 no hair theorem, 412
 non-degeneracy conditions, 11
 non-linear eigenvalue problem for a theoretical fine-structure constant, 582
 non-null differentiable curve, 81
 non-null geodesic, 77
 norm or length, 43
 normal coordinate, 67
 normal forms, 619
 normal or canonical forms, 510
 null cone, 108
 null curve, 112
 null electromagnetic field, 231, 503
 null energy condition, 180
 null hypersurface, 131
 null vectors, 106
 numerical tensor, 29, 111
 NUT potential, 669
- O**
- Oppenheimer-Volkoff equation, 261
 order (system of p.d.e.s), 611
 order of a tensor, 18
 orientable manifold, 3
 oriented relative tensor field, 26
 oriented tensor field, 50
 oriented volume, 65
 orthochronous Lorentz transformation, 192
 orthogonal coordinate chart, 61
 orthogonal vector fields, 42
 orthonormal basis, 42
 orthonormal components, 47
 outer ergosurface, 402
 outer product, 19
 overdetermined system, 166
- P**
- Painlevé-Gullstrand coordinate chart, 370
 Palatini approach for deriving field equations, 601
 Papapetrou-Ehlers class, 350
 parabola, semi-cubical, 16
 parabolic p.d.e., 618
 paracompact manifold, 1
 parallelly propagated, 74
 parameterized curve, 11
 parametric surface, 89
 parametrized hypersurface, 94
 Penrose-Carter compactification, 409
 perfect fluid, 180, 216–218
 perihelion, 245
 perihelion shift, 246
 permutation symbol, 30
 Petrov-types-I, D, II, N and III, 511
 physical components, 120
 Planck length, 473
 Planck mass, 591
 Planck's constant, 561
 Poincaré group, 109
 Poincaré's lemma, 32
 Poisson's equation, 162
 polarization states of gravitational waves, 652
 polarization tensor, 651
 polytropic equation of state, 431
 positive definite metric, 43, 64
 potential
 complex, 331–332, 348

- complex electromagnetic, 356
 - complex gravo-electromagnetic potential, 356
 - electromagnetic four, 34, 225, 233, 504, 561
 - electrostatic, 319
 - equation, 321, 323
 - function, 307
 - gravo-electromagnetic potential, 356
 - magnetic, 315
 - Newtonian gravitational, 66, 138, 142, 162, 169, 203, 280, 291–294, 299, 304, 319
 - NUT, 669
 - scalar field, 462, 464
 - twist, 347, 353, 356
 - potential equation, 321, 323
 - potential function, 307
 - pressure, 180
 - principal curvature, 147
 - principal pressures, 182
 - principal tensions, 182
 - principle of equivalence, 139
 - Proca equation, 571
 - profile curve, 92
 - projection tensor, 183
 - proper time, 112
 - pseudo-angle, 44
 - pseudo-Cartesian chart, 45, 68
 - pseudo-Riemannian manifold, 64
 - pseudo-Schwarzschild metric, 311
- Q**
- quantum field theory in curved spacetimes, 561
 - quantum gravity, 607, 654, 671
 - quasi-linear p.d.e., 611, 612
 - quintessence scalar field, 461–466
- R**
- radiation era, 446
 - Rainich problem, 566
 - raising and lowering of indices, 48
 - rank
 - matrix, 18
 - tensor, 18
 - Raychaudhuri-Landau equation, 185
 - redshift, 250
 - Regge-Wheeler tortoise coordinate, 371
 - region, 409
 - regularity conditions, 11
 - Reissner-Nordström-Jeffery metric, 265, 394
 - relative tensor field, 26, 63
 - relativistic canonical equations of motion, 160
 - relativistic Hamiltonian equations of motion, 160
 - relativistic Hamiltonian mechanics, 158
 - relativistic Lorentz equations of motion, 126
 - relativistic total angular momentum, 122
 - reparameterization of a curve, 13
 - reparametrization, 95
 - Ricci flat space, 70, 164
 - Ricci identities, 61
 - Ricci rotation coefficients, 58
 - complex valued, 531
 - Ricci tensor, 62
 - Riemann curvature tensor, 55
 - Riemann normal coordinate chart, 67
 - Riemann-Christoffel curvature tensor, 59, 62
 - algebraic identities, 59
 - differential identities, 60
 - Riemannian manifold, 64
 - Riemannian or pseudo-Riemannian manifold, 56, 64
 - rigid motion, 40
 - rigid motions, 184
 - Robinson-Trautman metric, 549
 - Routh's theorem, 243
 - ruled surface, 85, 97
- S**
- scalar field, 20, 456–471
 - Born-Infeld or tachyonic, 467–471
 - massive, 458–461
 - massless, 456–458, 472–479, 599

- quintessence, 461–466
 - scalar field potential, 462, 464
 - Schwarzschild metric, 239–251, 311, 350, 364–382
 - higher dimensional generalization, 253
 - Schwarzschild radius, 240, 364
 - Schwarzschild's interior solution, 263
 - second contracted Bianchi's identities, 63
 - second fundamental form, 91
 - Segre characteristic, 632–634
 - of energy-momentum-stress tensors, 177–180
 - of Ricci tensor, 516
 - self-dual, 670
 - self-duality, 497
 - semi-cubical parabola, 16
 - semi-linear p.d.e., 611
 - semiclassical gravity, 561
 - separation of a vector field, 42
 - shear tensor, 184
 - shock waves, 610
 - signature of the metric, 43
 - singularity theorems, 432–433, 449
 - solid particle, 228
 - space of constant curvature, 68, 73
 - space-time foam, 654, 655
 - spacelike curve, 111
 - spacelike vectors, 106
 - spin coefficients, 538
 - spinor algebra, 547
 - spinor analysis, 547
 - spinor fields, 111
 - stationary limit surface, 402
 - Stokes' theorem, generalized, 34
 - stress density, 118
 - stress tensor field, 119
 - string theory, 468, 472, 479, 560
 - strong energy condition, 181
 - summation convention, 7
 - surface
 - Monge, 102
 - parametric, 89
 - ruled, 85, 97
 - surface of revolution, 92
 - Sylvester's law, 623
 - symmetric tensor, 27
 - symmetrization operation, 27
 - symmetrized curvature tensor, 155, 172
 - symplectic group, 173
 - Synge's doubly-null coordinates, 372
 - Synge's junction conditions, 166
 - Synge's world-function, 86
- T**
- T-domain, 280
 - tachyon condensation, 468
 - tachyonic (or Born-Infeld) scalar field, 467–471
 - tangent vector, 6, 7
 - tangent vector space, 7
 - Taub-NUT metric, 671
 - tensor
 - antisymmetric, 28
 - canonical energy-momentum-stress, 119
 - conformal, 71
 - conjugate, contravariant, or inverse metric, 44
 - Cotton-Schouten-York, 309
 - curvature
 - Riemann, 55
 - extended extrinsic, 604
 - extrinsic, 89–104, 167
 - Ricci, 62
 - Riemann-Christoffel, 59, 62
 - symmetrized, 155, 172
 - density, 26
 - Einstein, 63
 - electromagnetic field, 33, 50
 - energy-momentum-stress, 119
 - expansion, 184
 - extended extrinsic curvature, 604
 - extrinsic curvature, 89–104, 167
 - field, 20
 - generalized Kronecker, 29
 - hybrid field, 96–98
 - identity, 46
 - Killing, 414
 - Levi-Civita, 49

- metric, 42
 - numerical, 29, 111
 - order of, 18
 - oriented, 26, 50, 63
 - oriented antisymmetric, 49
 - polarization, 651
 - projection, 183
 - rank of, 18
 - relative, 26, 63
 - Ricci, 62
 - Riemann, 55
 - Riemann-Christoffel, 59, 62
 - shear, 184
 - stress, 119
 - symmetric, 27
 - symmetrized curvature, 155, 172
 - torsion, 54
 - totally antisymmetric, 27, 49
 - trace-reversed perturbation, 648
 - vorticity, 184
 - Weyl conformal, 71
 - Weyl's projective, 71
 - tensor density field, 26
 - tensor field, 20
 - tensor product, 19
 - tetrad, 106, 481
 - complex null, 485
 - Theorema Egregium, 101
 - tidal forces, 143
 - time machine, 662–666
 - time orientable space-times, 662
 - timelike curve, 112
 - timelike vectors, 106
 - Tolman-Bondi-Lemaître metric, 276
 - Tomimatsu-Sato solution, 342
 - topological manifold, 3
 - topology, 1
 - torsion tensor, 54
 - total 4-momentum, 122
 - total charge, 134
 - total conservation of energy-momentum, 120
 - total mass, 134
 - total mass function, 272, 273
 - totally antisymmetric oriented tensor, 49
 - totally antisymmetric tensor, 27
 - totally differentiable function, 10
 - totally geodesic hypersurface, 325
 - trace-reversed perturbation tensor, 648
 - traceless-transverse gauge, 651
 - twist potential, 347, 353, 356
- U**
- underdetermined system, 166
 - unit matrix, 8
 - unit vector field, 42
 - upper triangular form, 629
- V**
- vacuum field equations, 164
 - Vaidya metric, 284
 - Van Stockum space-time, 665–666
 - variational derivative, 595, 599
 - variationally permissible boundary conditions, 596, 599
 - vector
 - covariant, 9, 11
 - heat flow, 232
 - Killing, 72
 - norm or length, 43
 - null, 106
 - separation, 42
 - spacelike, 106
 - tangent, 6, 7
 - timelike, 106
 - unit, 42
 - vector space
 - cotangent, 9
 - dual, 9
 - tangent, 7
 - volume
 - oriented, 65
 - vorticity tensor, 184
- W**
- warp-drive, 659–662
 - wave number, 504
 - weak energy condition, 180
 - weak solution, 610
 - wedge product, 28
 - weight of relative tensor field, 26

Weingarten's equations, 98
Weyl conformal tensor, 71
Weyl's coordinate chart, 289
Weyl's projective tensor, 71
Weyl-Lewis-Papapetrou (WLP) charts,
 330
Weyl-Majumdar-Papapetrou-Das
 (or W-M-P-D) metric, 319
white hole, 379
Willmore's theorem, 640
winding number, 14
world line, 113
world tube, 118
world-function (Synge's), 86
wormhole, 171, 265, 654–659

Y

Yukawa equation, 573