

STAT 350: 08-2

Midterm, 9 June 2008

Instructor: Richard Lockhart

Instructions: This is an open book test. You may use notes, text, other books and a calculator. Your presentations of statistical analysis will be marked for clarity of explanation. I expect you to explain what assumptions you are making and to comment if those assumptions seem unreasonable. I want sentences! The exam is out of 25.

1. When a spring is stretched by an amount d from its original length a standard theory predicts that the amount of work done will be Kd^2 . In order to estimate K , a spring is stretched by amounts of 0, 1, 2 and 3 units. For each of these 4 values of d the corresponding amount of work Y is measured.
 - (a) For this experiment write out the design matrix and compute the hat matrix. [3 marks]
 - (b) The least squares estimate of K has the form $a_1Y_1 + a_2Y_2 + a_3Y_3 + a_4Y_4$. What are a_1, a_2, a_3, a_4 ? Your answer should be a set of 4 numbers, not formulas. [2 marks]
 - (c) Make the usual linear model assumptions and assume that the standard deviation of a typical Y is 0.1 units of work. What is the standard error of the fourth residual? [2 marks]
 - (d) A statistician who took 350 from me imagines I once said that you can't fit a quadratic polynomial without including the linear term. If a linear term in d is included what is the design matrix? [2 marks]
 - (e) Give the formula for a 95% confidence interval for the work done to stretch the spring 5 units. Your formula must be as explicit as possible; any formula for which you could give me a numerical value should be worked out to a numerical value, except that you need not evaluate any square roots in the final answer. Of course, some parts of the answer depend on the actual values of the Y s which I am not giving you.[2 marks]

2. For a sample of 250 adult males various body size measurements are made. As a preliminary analysis of the data the relation between body Density and a variety of predictors is investigated. I attach SAS output for the following models;

Model #	Predictors
1	Abdomen Wrist Age Neck Biceps Thigh Chest Forearm Hip Ankle Height Weight Knee
2	Abdomen Wrist Age Neck Biceps Chest Hip Height
3	Abdomen Wrist Height

- (a) Is the regression of Density on all the predictors significant? [2 marks]
- (b) Is model 2 an adequate fit to the data compared to model 1? [3 marks]
- (c) Can Age be dropped from Model 2? [2 marks]
- (d) Give a 95% confidence interval for the coefficient of Height in Model 1. [2 marks]
- (e) Of the three models for which you have output, which model seems to fit the data best. [2 marks]
- (f) For the model you selected in the previous part what is the estimated standard deviation of the errors? [1 marks]
- (g) Suggest two further models you might consider fitting. Give some reason for trying these models. This requires only a very short answer but I am principally marking the reason. [2 marks]

MODEL 1

Dependent Variable: DENSITY

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	13	0.0655339	0.0050411	51.34	0.0001
Error	236	0.0231737	0.0000982		
Corrected Total	249	0.0887076			

R-Square	C.V.	Root MSE	DENSITY Mean
0.738763	0.938523	0.0099	1.0558

Source	DF	Type I SS	Mean Square	F Value	Pr > F
ABDOMEN	1	0.0580635	0.0580635	591.31	0.0001
WRIST	1	0.0039993	0.0039993	40.73	0.0001
AGE	1	0.0010165	0.0010165	10.35	0.0015
NECK	1	0.0002624	0.0002624	2.67	0.1034
BICEPS	1	0.0003259	0.0003259	3.32	0.0698
THIGH	1	0.0000550	0.0000550	0.56	0.4549
CHEST	1	0.0003328	0.0003328	3.39	0.0669
FOREARM	1	0.0001583	0.0001583	1.61	0.2055
HIP	1	0.0006023	0.0006023	6.13	0.0140
ANKLE	1	0.0000732	0.0000732	0.75	0.3887
HEIGHT	1	0.0006151	0.0006151	6.26	0.0130
WEIGHT	1	0.0000280	0.0000280	0.29	0.5938
KNEE	1	0.0000015	0.0000015	0.02	0.9008

Source	DF	Type III SS	Mean Square	F Value	Pr > F
ABDOMEN	1	0.0101396	0.0101396	103.26	0.0001
WRIST	1	0.0012065	0.0012065	12.29	0.0005
AGE	1	0.0003498	0.0003498	3.56	0.0603
NECK	1	0.0002681	0.0002681	2.73	0.0998
BICEPS	1	0.0002004	0.0002004	2.04	0.1545
THIGH	1	0.0001884	0.0001884	1.92	0.1673
CHEST	1	0.0001730	0.0001730	1.76	0.1857
FOREARM	1	0.0001729	0.0001729	1.76	0.1858
HIP	1	0.0001719	0.0001719	1.75	0.1871
ANKLE	1	0.0001586	0.0001586	1.62	0.2050
HEIGHT	1	0.0001578	0.0001578	1.61	0.2062
WEIGHT	1	0.0000259	0.0000259	0.26	0.6081
KNEE	1	0.0000015	0.0000015	0.02	0.9008

Parameter	Estimate	T for H0: Parameter=0	Pr > T	Std Error of Estimate
INTERCEPT	1.092703119	20.08	0.0001	0.05442893
ABDOMEN	-0.002162705	-10.16	0.0001	0.00021283
WRIST	0.004350830	3.51	0.0005	0.00124125
AGE	-0.000141394	-1.89	0.0603	0.00007492
NECK	0.000903669	1.65	0.0998	0.00054689
BICEPS	-0.000566771	-1.43	0.1545	0.00039677
THIGH	-0.000473593	-1.39	0.1673	0.00034192
CHEST	0.000334560	1.33	0.1857	0.00025207
FOREARM	-0.000639418	-1.33	0.1858	0.00048183
HIP	0.000449416	1.32	0.1871	0.00033965
ANKLE	-0.000650693	-1.27	0.2050	0.00051193
HEIGHT	0.000564160	1.27	0.2062	0.00044509
WEIGHT	0.000080268	0.51	0.6081	0.00015633
KNEE	0.000071344	0.12	0.9008	0.00057191

MODEL 2

Dependent Variable: DENSITY

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	8	0.0649997	0.0081250	82.59	0.0001
Error	241	0.0237079	0.0000984		
Corrected Total	249	0.0887076			

R-Square	C.V.	Root MSE	DENSITY Mean
0.732741	0.939380	0.0099	1.0558

Source	DF	Type I SS	Mean Square	F Value	Pr > F
ABDOMEN	1	0.0580635	0.0580635	590.24	0.0001
WRIST	1	0.0039993	0.0039993	40.65	0.0001
AGE	1	0.0010165	0.0010165	10.33	0.0015
NECK	1	0.0002624	0.0002624	2.67	0.1037
BICEPS	1	0.0003259	0.0003259	3.31	0.0700
CHEST	1	0.0003603	0.0003603	3.66	0.0568
HIP	1	0.0003324	0.0003324	3.38	0.0673
HEIGHT	1	0.0006394	0.0006394	6.50	0.0114

Source	DF	Type III SS	Mean Square	F Value	Pr > F
ABDOMEN	1	0.0116909	0.0116909	118.84	0.0001
WRIST	1	0.0010761	0.0010761	10.94	0.0011
AGE	1	0.0001774	0.0001774	1.80	0.1805
NECK	1	0.0002434	0.0002434	2.47	0.1170
BICEPS	1	0.0005632	0.0005632	5.72	0.0175
CHEST	1	0.0003868	0.0003868	3.93	0.0485
HIP	1	0.0001138	0.0001138	1.16	0.2831
HEIGHT	1	0.0006394	0.0006394	6.50	0.0114

Parameter	Estimate	T for H0: Parameter=0	Pr > T	Std Error of Estimate
INTERCEPT	1.062471175	53.53	0.0001	0.01984842
ABDOMEN	-0.002133222	-10.90	0.0001	0.00019568
WRIST	0.003778287	3.31	0.0011	0.00114235
AGE	-0.000088111	-1.34	0.1805	0.00006561
NECK	0.000806964	1.57	0.1170	0.00051298
BICEPS	-0.000841346	-2.39	0.0175	0.00035163
CHEST	0.000409888	1.98	0.0485	0.00020672
HIP	0.000280433	1.08	0.2831	0.00026068
HEIGHT	0.000748582	2.55	0.0114	0.00029363

MODEL 3

Dependent Variable: DENSITY

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	3	0.0635560	0.0211853	207.21	0.0001
Error	246	0.0251516	0.0001022		
Corrected Total	249	0.0887076			

R-Square	C.V.	Root MSE	DENSITY Mean
0.716467	0.957674	0.0101	1.0558

Source	DF	Type I SS	Mean Square	F Value	Pr > F
ABDOMEN	1	0.0580635	0.0580635	567.90	0.0001
WRIST	1	0.0039993	0.0039993	39.12	0.0001
HEIGHT	1	0.0014933	0.0014933	14.61	0.0002

Source	DF	Type III SS	Mean Square	F Value	Pr > F
ABDOMEN	1	0.0515675	0.0515675	504.37	0.0001
WRIST	1	0.0020169	0.0020169	19.73	0.0001
HEIGHT	1	0.0014933	0.0014933	14.61	0.0002

Parameter	Estimate	T for H0: Parameter=0	Pr > T	Std Error of Estimate
INTERCEPT	1.071106097	58.02	0.0001	0.01845975
ABDOMEN	-0.001770706	-22.46	0.0001	0.00007884
WRIST	0.004186145	4.44	0.0001	0.00094252
HEIGHT	0.001022304	3.82	0.0002	0.00026750