

STAT 801

Problems: Assignment 7

1. For the last problem on assignment 5 do a likelihood ratio test of $H_o : \alpha = 1$.
2. Suppose X_1, \dots, X_n are independent $\text{Poisson}(\lambda)$ variables. Find the UMP level α test of $\lambda \leq 1$ versus $\lambda > 1$ and evaluate the constants for the case $n = 3$ and $\alpha = 0.05$.
3. Suppose X has a $\text{Gamma}(\theta, \phi)$ distribution with shape parameter θ known. Find the UMPU test of $\phi = \phi_o$ and evaluate the constants for the case $\alpha = 0.05$ and $\theta = 2$.
4. Suppose X_1, \dots, X_n are iid $\text{exponential}(\lambda)$.
 - (a) Find the exact confidence levels of 95% intervals based on normal approximations to the distributions of the pivots $T_1 = \bar{X}/\lambda$, $T_2 = 1/T_1$, and $T_3 = \log(T_1)$ for $n=10, 20$ and 40 .
 - (b) Find the shortest exact 95% confidence interval based on T_1 ; get numerical values for $n=10, 20$ and 40 .
 - (c) Find the exact confidence level of 95% confidence intervals based on the chi-squared approximation to the distribution of deviance drop. Compare the results with the previous question based on length and coverage probabilities. Figure out how to make a convincing comparison. Which method is better?
5. In the course notes I discussed, for the $\text{Binomial}(5, p)$ problem, a test of $p = 1/2$ against $p = 3/4$ based on the rejection region $R_X = \{0, 5\}$.
 - (a) Show that this test is uniformly most powerful **among non-randomized tests** at the level $\alpha = 1/16$ for testing $p = 1/2$ against $p > 1/2$.
 - (b) Now suppose that Y_1, \dots, Y_5 are iid $\text{Bernoulli}(p)$. Show that the region $R_Y = \{(1, 1, 1, 1, 1), (1, 1, 1, 1, 0)\}$ has level $1/16$ and is more powerful than the test based on R_X for each $p > 1/2$.
 - (c) If $\phi_Y = 1((Y_1, \dots, Y_5) \in R_Y)$ show that

$$\phi(X) = E_{1/2}(\Phi(Y_1, \dots, Y_5)|X)$$

is a test function, evaluate its power and level.

6. Suppose $\phi(X)$ is a test function and $S(X)$ is a sufficient statistic for some model. Show that

$$E(\phi(X)|S)$$

is a test function and compare its power and level to that of $\phi(X)$.