

Bibliography: Theory of DC Operating Points of Transistor Networks

ENSC 895: Special Topics: Theory, Analysis, and Simulation of Nonlinear Circuits

December 10, 2003

References

- [1] P. Antognetti and G. Massobrio, eds., *Semiconductor Device Modeling with SPICE*. New York: McGraw-Hill, 1988, pp. 13–22, 40–55.
- [2] R. E. Bank and D. J. Rose, “Global approximate Newton methods,” *Numer. Math.*, vol. 37, pp. 279–295, July 1981.
- [3] W. M. Coughran, Jr., E. H. Grosse, and D. J. Rose, “CAzM: A circuit analyzer with macromodeling,” *IEEE Trans. Elec. Dev.*, vol. ED-30, pp. 1207–1213, Sept. 1983.
- [4] P. Chauffoureaux and M. Hasler, “Monotonicity in nonlinear resistive circuits,” *Proc. IEEE Int. Symp. Circuits and Systems*, New Orleans, LA, May 1990, pp. 395–398.
- [5] L. O. Chua and N. N. Wang, “On the application of degree theory to the analysis of resistive nonlinear networks,” *Int. J. Circuit Theory and Appl.*, vol. 5, pp. 35–68, Jan. 1977.
- [6] L. O. Chua, Y. F. Lam, and K. A. Stromsmoe, “Qualitative properties of resistive networks containing multiterminal nonlinear elements: no gain properties,” *IEEE Trans. Circuits Syst.*, vol. CAS-24, pp. 93–118, March 1977.
- [7] L. O. Chua, J. B. Yu, and Y. Y. Yu, “Negative resistance devices,” *Int. J. Circuit Theory and Appl.*, vol. 11, pp. 161–186, April 1983.
- [8] L. O. Chua and A. C. Deng, “Negative resistance devices: part II,” *Int. J. Circuit Theory and Appl.*, vol. 12, pp. 337–373, Oct. 1984.

- [9] L. O. Chua, J. B. Yu, and Y. Y. Yu, "Bipolar-JFET-MOSFET negative resistance devices," *IEEE Trans. Circuits Syst.*, vol. CAS-32, pp. 46–61, Jan. 1985.
- [10] L. O. Chua, C. A. Desoer, and E. S. Kuh *Linear and Nonlinear Circuits*. New York: McGraw-Hill, 1987.
- [11] A. C. Deng and L. O. Chua, "CMOS latchup theory," *Int. J. Circuit Theory and Appl.*, vol. 17, pp. 397–408, Oct. 1989.
- [12] J. J. Ebers and J. L. Moll, "Large-signal behavior of junction transistors," *Proc. IRE*, vol. 42, pp. 1761–1772, Dec. 1954.
- [13] U. Feldmann, U. A. Wever, Q. Zheng, R. Schultz, and H. Wriedt, "Algorithms for modern circuit simulation," *Intern. Journ. Electronics and Comm.*, vol. 46, no. 6, pp. 274–285, July 1992.
- [14] M. Fosséprez and M. Hasler, "Convergence to the dc operating point in nonlinear nonreciprocal circuits," *Proc. European Circuit Theory and Design Conf.* Paris, France, Sept. 1987, pp. 65–70.
- [15] M. Fosséprez, M. Hasler, and C. Schnetzler, "On the number of solutions of piecewise-linear resistive circuits," *IEEE Trans. Circuits Syst.*, vol. 36, pp. 393–402, March 1989.
- [16] M. Fosséprez and M. Hasler, "Algorithms for the qualitative analysis of nonlinear resistive circuits," *Proc. IEEE Int. Symp. Circuits and Systems*, Portland, OR, June 1989, pp. 2165–2168.
- [17] M. Fosséprez and M. Hasler, "Resistive circuit topologies that admit several solutions," *Int. J. Circuit Theory and Appl.*, vol. 18, pp. 625–638, Nov.-Dec. 1990.
- [18] I. Getreu, *Modeling the Bipolar Transistor*. Beaverton, OR: Tektronix, 1976, pp. 9–23.
- [19] B. Gopinath and D. Mitra, "When are transistors passive?" *Bell Syst. Tech. J.*, vol. 50, pp. 2835–2847, Oct., 1971.
- [20] P. R. Gray and R. G. Meyer, *Analysis and Design of Analog Integrated Circuits (Second Edition)*. New York: Wiley, 1984.

- [21] M. Green and A. N. Willson, Jr., "On the uniqueness of a circuit's dc operating point when its transistors have variable current gains," *IEEE Trans. Circuits Syst.*, vol. 36, pp. 1521–1528, Dec. 1989.
- [22] M. Green and A. N. Willson, Jr., "On the stability of operating points in two-transistor circuits," *Proc. IEEE Int. Symp. Circuits and Systems*, New Orleans, LA, May 1990, pp. 1466–1469.
- [23] M. Green and A. N. Willson, Jr., "Determining when an operating point is unstable: a new algorithm for SPICE," *Proc. IEEE Int. Symp. Circuits and Systems*, Singapore, June 1991, pp. 774–777.
- [24] M. Green and A. N. Willson, Jr., "How to identify unstable dc operating points," *IEEE Trans. Circuits Syst.-I*, vol. 39, pp. 820–832, Oct. 1992.
- [25] M. Green, H. J. Orchard, and A. N. Willson, Jr., "Stabilizing polynomials by making their higher order coefficients sufficiently small," *IEEE Trans. Circuits Syst.-I*, vol. 39, pp. 840–844, Oct. 1992.
- [26] M. Green and A. N. Willson, Jr., "(Almost) half of any circuit's operating points are unstable," *IEEE Trans. Circuits Syst.-I*, vol. 41, pp. 286–293, April 1994.
- [27] M. Green and A. N. Willson, Jr., "Transistor circuits and potentially stable operating points," *Linear Algebra and Its Applications*, vol. 223/224, pp. 267–283, July 1995.
- [28] M. Green, "Comment on 'How to identify unstable dc operating points,'" *IEEE Trans. Circuits Syst.-I*, vol. 43, pp. 705–707, August 1996.
- [29] M. Hasler and J. Neirynck, *Nonlinear Circuits*. Norwood, MA: Artech House, 1986.
- [30] M. Hasler, "Non-linear non-reciprocal resistive circuits with structurally unique solution," *Int. J. Circuit Theory and Appl.*, vol. 14, pp. 237–262, July 1986.
- [31] M. Hasler, "Stability of parasitic dynamics at a dc-operating point: topological analysis," *Proc. IEEE Int. Symp. Circuits and Systems*, Singapore, June 1991, pp. 770–773.
- [32] B. G. Lee, "Number of dc solutions of two-transistor circuits containing feedback structures," Ph.D. Dissertation, Electrical Engineering Dept., UCLA, Los Angeles, CA, 1982.

- [33] B. G. Lee and A. N. Willson, Jr., "All two-transistor circuits possess at most three dc equilibrium points," *Proc. 26th Midwest Symp. Circuits and Systems*, Puebla, Mexico, Aug. 1983, pp. 504–507.
- [34] B. G. Lee and A. N. Willson, Jr., "On a determinant expansion in the theory of two-transistor circuits," *IEEE Trans. Circuits Syst.*, vol. 37, pp. 864–866, June 1990.
- [35] W. Mathis, *Theorie Nichtlinearer Netzwerke*. Berlin: Springer-Verlag, 1987.
- [36] R. C. Melville, Lj. Trajković, S. C. Fang, and L. T. Watson, "Artificial parameter homotopy methods for the dc operating point problem," *IEEE Trans. Computer-Aided Design*, vol. 12, no. 6, pp. 861–877, June 1993.
- [37] R. C. Melville, S. Moinian, P. Feldmann, and L. Watson, "Sframe: An efficient system for detailed dc simulation of bipolar analog integrated circuits using continuation methods," *Analog Integr. Circuits and Sign. Proc.*, vol. 3, no. 3, pp. 163–180, May 1993.
- [38] D. Mitra, I. W. Sandberg, and B. Gopinath, "A note on a curious property of the equations of nonlinear networks containing transistors," *Proc. 8th Allerton Conference on Circuit and System Theory*, Urbana, IL, Oct. 1970, pp. 276–283.
- [39] L. Nagel, "SPICE2: A Computer Program to Simulate Semiconductor Circuits," *ERL Memorandum No. ERL-M520*, Univ. of California, Berkeley, May 1975.
- [40] R. O. Nielsen and A. N. Willson, Jr., "Topological criteria for establishing the uniqueness of solutions to the dc equations of transistor networks," *IEEE Trans. Circuits Syst.*, vol. CAS-24, pp. 349–362, July 1977.
- [41] R. O. Nielsen and A. N. Willson, Jr., "Existence of hybrid matrices for active n-ports encountered in the analysis of transistor networks," *Int. J. Circuit Theory and Appl.*, vol. 7, pp. 65–76, Jan. 1979.
- [42] R. O. Nielsen and A. N. Willson, Jr., "A fundamental result concerning the topology of transistor circuits with multiple equilibria," *Proc. IEEE*, vol. 68, pp. 196–208, Feb. 1980.

- [43] T. Nishi and L. O. Chua, "Uniqueness of solution for nonlinear resistive circuits containing CCCS's or VCVS's whose controlling coefficients are finite," *IEEE Trans. Circuits Syst.*, vol. CAS-33, pp. 381–397, April 1986.
- [44] T. Nishi and Y. Kawane, "On the number of solutions of nonlinear resistive circuits," *IEICE Trans.*, vol. E 74, pp. 479–487, March 1991.
- [45] T. Nishi, "On the number of solutions of a class of nonlinear resistive circuits," *Proc. IEEE Int. Symp. Circuits and Systems*, Singapore, June 1991, pp. 766–769.
- [46] B. Pease, "What's all this spicey stuff, anyhow? (Part III)," *Electronic Design*, vol. 39, pp. 107–110, Oct. 10, 1991.
- [47] C. P. Reames and A. N. Willson, Jr., "Global convergence of Newton's method in the dc analysis of single-transistor networks," *Electronics Letters*, vol. 18, pp. 519–529, June 10, 1982.
- [48] I. W. Sandberg and A. N. Willson, Jr., "Some network-theoretic properties of nonlinear dc transistor networks," *Bell Syst. Tech. J.*, vol. 48, pp. 1293–1311, May-June 1969.
- [49] M. Tadeusiewicz, "A method for finding bounds on all the dc solutions of transistor circuits," *IEEE Trans. Circuits Syst.-I*, vol. 39, pp. 557–563, July. 1992.
- [50] Lj. Trajković and A. N. Willson, Jr., "Circuit parameters and the occurrence of negative differential resistance," *Proc. IEEE Int. Symp. Circuits and Systems*, San Jose, CA, May 1986, pp. 277–280.
- [51] Lj. Trajković and A. N. Willson, Jr., "Biasing of two-transistor circuits exhibiting negative differential resistance," *Proc. 29th Midwest Symp. Circuits and Systems*, Lincoln, NE, Aug. 1986, pp. 158–162.
- [52] Lj. Trajković and A. N. Willson, Jr., "Negative differential resistance in two-transistor one-ports with no internal sources," *Proc. IEEE Int. Symp. Circuits and Systems*, Espoo, Finland, June 1988, pp. 747–750.
- [53] Lj. Trajković and A. N. Willson, Jr., "Replacing a transistor with a compound transistor," *IEEE Trans. Circuits Syst.*, vol. CAS-35, pp. 1139–1146, Sept. 1988.

- [54] Lj. Trajković, R. C. Melville, and S. C. Fang, "Passivity and no-gain properties establish global convergence of a homotopy method for dc operating points," *Proc. IEEE Int. Symp. Circuits and Systems*, New Orleans, LA, May 1990, pp. 914–917.
- [55] Lj. Trajković and A. N. Willson, Jr., "Complementary two-transistor circuits and negative differential resistance," *IEEE Trans. Circuits Syst.*, vol. 37, pp. 1258–1266, Oct. 1990.
- [56] Lj. Trajković, R. C. Melville, and S. C. Fang, "Finding dc operating points of transistor circuits using homotopy methods," *Proc. IEEE Int. Symp. Circuits and Systems*, Singapore, June 1991, pp. 758–761.
- [57] Lj. Trajković, R. C. Melville, and S. C. Fang, "Improving dc convergence in a circuit simulator using a homotopy method," *Proc. IEEE Custom Integrated Circuits Conference*, San Diego, CA, May 1991, pp. 8.1.1–8.1.4.
- [58] Lj. Trajković and A. N. Willson, Jr., "Theory of dc operating points of transistor networks," *Intern. Journ. Electronics and Comm.*, vol. 46, no. 6, pp. 228–241, July 1992.
- [59] A. Ushida and L. O. Chua, "Tracing solution curves of non-linear equations with sharp turning points," *Int. J. Circuit Theory and Appl.*, vol. 12, pp. 1–21, Jan. 1984.
- [60] L. Vandenberghe and J. Vandewalle, "A globally convergent algorithm for solving a broad class of nonlinear circuits," *Proc. IEEE Int. Symp. Circuits and Systems*, New Orleans, LA, May 1990, pp. 403–406.
- [61] L. Vandenberghe and J. Vandewalle, "Variable dimension algorithms for solving resistive circuits," *Int. J. Circuit Theory and Appl.*, vol. 18, pp. 443–474, Sept.–Oct. 1990.
- [62] L. Vandenberghe and J. Vandewalle, "A continuous deformation method for resistive circuits containing active and non-reciprocal elements," *Proc. IEEE Int. Symp. Circuits and Systems*, Singapore, June 1991, pp. 762–765.
- [63] A. Vladimirescu, K. Zhang, A. R. Newton, D. O. Pederson, and A. Sangiovanni-Vincentelli, "SPICE Version 2G.5 User's Guide," *Electronic Research Laboratory*, University of California, Berkeley, Aug. 10, 1981.

- [64] L. T. Watson, S. Billups, and A. Morgan, "HOMPACK: a suite of codes for globally convergent homotopy algorithms," *ACM Transactions of Mathematical Software*, vol. 13, no. 3, pp. 281–310, Sept. 1987.
- [65] L. T. Watson, "Globally convergent homotopy methods: a tutorial," *Appl. Math. and Comp.*, vol. 31, pp. 369–396, May 1989.
- [66] L. T. Watson, "Globally convergent homotopy algorithm for nonlinear systems of equations," *Nonlinear Dynamics*, vol. 1, pp. 143–191, Feb. 1990.
- [67] G. Wettlaufer and W. Mathis, "Finding all DC-equilibrium-points of nonlinear circuits," *Proc. 32nd Midwest Symposium on Circuits and Systems*, Urbana, IL, 1989, pp. 642–645.
- [68] A. N. Willson, Jr., "Some aspects of the theory of nonlinear networks," *Proc. IEEE*, vol. 61, pp. 1092–1113, Aug. 1973.
- [69] A. N. Willson, Jr., *Nonlinear Networks*. New York: IEEE Press, 1975.
- [70] A. N. Willson, Jr., "The no-gain property for networks containing three-terminal elements," *IEEE Trans. Circuits Syst.*, vol. CAS-22, pp. 678–687, Aug. 1975.
- [71] A. N. Willson, Jr., "On the topology of FET circuits and the uniqueness of their dc operating points," *IEEE Trans. Circuits Syst.*, vol. CAS-27, pp. 1045–1051, Nov. 1980.
- [72] A. N. Willson, Jr. and J. Wu, "Existence criteria for dc solutions of nonlinear networks which involve the independent sources," *IEEE Trans. Circuits Syst.*, vol. CAS-31, pp. 952–959, Nov. 1984.
- [73] F. F. Wu, "Existence of an operating point for a nonlinear circuit using the degree of mapping," *IEEE Trans. Circuits Syst.*, vol. CAS-21, pp. 671–677, Sept. 1974.
- [74] J. Wu, J. S. He, and X. Y. Du, "A two-transistor negative-resistance device without feedback structure," *Int. J. Circuit Theory and Appl.*, vol. 18, pp. 85–88, Jan.-Feb. 1990.
- [75] K. Yamamura and K. Horiuchi, "A globally and quadratically convergent algorithm for solving nonlinear resistive networks," *IEEE Trans. Computer-Aided Design*, vol. 9, no. 5, pp. 487–499, May 1990.